حرق الاسطوانات بدون برامج فقط من cmd

السلام عليكم ورحمه الله

حرق الاسطوانات بدون برامج فقط من cmd

ĐΓ.ĐΣΓMλNN
.: مشرف سابق :.

هل تريد حرق ملف iso بدون برامج ؟
مع لينوكس اقدر اقول لك ايوة كل دا بواسطة سطر الاوامر CMD
افتح الشل وادخل روت واكتب الامر دا على شان نشوف السى دى r/w ومعلومات اخرى

كود:

```
cdrecord -scanbus
```

الخارج لنا كالتالى :
كود:

```
[root@MyLaP ~]# cdrecord -scanbus
scsibus0:
        0,0,0     0) 'ATA     ' 'Hitachi HTS54168' 'SB2O' Disk
        0,1,0     1) *
        0,2,0     2) *
        0,3,0     3) *
        0,4,0     4) *
        0,5,0     5) *
        0,6,0     6) *
        0,7,0     7) *
scsibus2:
        2,0,0   200) 'Optiarc ' 'CD-RW CRX880A   ' 'KX07' Removable CD-ROM
        2,1,0   201) *
        2,2,0   202) *
        2,3,0   203) *
        2,4,0   204) *
        2,5,0   205) *
        2,6,0   206) *
        2,7,0   207) *
```

طيب نركز فى السطر دا
كود:

```
2,0,0   200) 'Optiarc ' 'CD-RW CRX880A   ' 'KX07' Removable CD-ROM
```

طبعا هتختلف من cd r/w الى اخر

ثم طبقت الامر دا على شان احرق وطبعا عرفته
2,0,0
وسرعه الحرق =8

كود:

```
cdrecord -v -dao dev=2,0,0 speed=8 /home/drdermann/Desktop/ipcop-1.4.18-install-cd.i386.iso
```

ليكون الخارج

كود:

```
TOC Type: 1 = CD-ROM
scsidev: '2,0,0'scsibus: 2 target: 0 lun: 0
Linux sg driver version: 3.5.34
Wodim version: 1.1.2
SCSI buffer size: 64512
atapi: 1
Device type    : Removable CD-ROM
Version        : 5
Response Format: 2
Capabilities   :
Vendor_info    : 'Optiarc '
Identification : 'CD-RW CRX880A   '
Revision       : 'KX07'
Device seems to be: Generic mmc2 DVD-ROM.
Current: 0x0009 (CD-R)
Profile: 0x0010 (DVD-ROM)
Profile: 0x0008 (CD-ROM)
Profile: 0x0009 (CD-R) (current)
Profile: 0x000A (CD-RW)
Profile: 0x002B (DVD+R/DL)
Profile: 0x001A (DVD+RW)
Profile: 0x001B (DVD+R)
Using generic SCSI-3/mmc   CD-R/CD-RW driver (mmc_cdr).
Driver flags   : MMC-3 SWABAUDIO BURNFREE
Supported modes: TAO PACKET SAO SAO/R96P SAO/R96R RAW/R16 RAW/R96P RAW/R96R
Drive buf size : 1365760 = 1333 KB
Beginning DMA speed test. Set CDR_NODMATEST environment variable if device
communication breaks or freezes immediately after that.
FIFO size      : 4194304 = 4096 KB
Track 01: data    47 MB
Total size:       54 MB (05:22.42) = 24182 sectors
Lout start:       54 MB (05:24/32) = 24182 sectors
Current Secsize: 2048
ATIP info from disk:
  Indicated writing power: 7
  Is not unrestricted
  Is not erasable
  ATIP start of lead in:  -11597 (97:27/28)
  ATIP start of lead out: 359849 (79:59/74)
Disk type:    Short strategy type (Phthalocyanine or similar)
Manuf. index: 20
Manufacturer: Princo Corporation
Blocks total: 359849 Blocks current: 359849 Blocks remaining: 335667
Speed set to 1764 KB/s
Starting to write CD/DVD at speed  10.0 in real SAO mode for single session.
Last chance to quit, starting real write    0 seconds. Operation starts.
Waiting for reader process to fill input buffer ... input buffer ready.
Performing OPC...
Sending CUE sheet...
Writing pregap for track 1 at -150
Starting new track at sector: 0
```

```
Track 01:   47 of   47 MB written (fifo 100%) [buf 100%]  10.4x.
Track 01: Total bytes read/written: 49524736/49524736 (24182 sectors).
Writing  time:   59.930s
Average write speed   6.5x.
Min drive buffer fill was 57%
Fixating...
Fixating time:   15.384s
BURN-Free was 4 times used.
```

GreyHunter
::إدارة مجتمع لينوكس العربي::
اعتقد امر بسيط مثل هذا يفي بالغرض دون الحاجة الى اي خيارات:

كود PHP:

```
cdrecord file.iso
```

alsadi
::ضيف شرف::
الأستاذ مؤيد السعدي
بالمناسبة KDE و غنوم يستخدمون اداة اسمها wodim

هل جربها أحد من سطر الاوامر

ĐΓ.ĐΣΓMλNN
.: مشرف سابق :.
Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.